



171741212340674

江西省贝源检测技术有限公司

Testing Report

委托单位:

鄱阳县绿色东方再生能源有限公司

检测项目:

水质检测

Figure 1. The study area. The map shows the location of the study area in the north-east of Iran, near the border with the Soviet Union. The map includes the Caspian Sea, the city of Gilan, and the study area. The map is a black and white line drawing showing the coastline of the Caspian Sea and the location of the study area. The study area is marked with a red dot and labeled 'Study Area'. The map also shows the city of Gilan and the border with the Soviet Union.

Detailed description of Figure 6: This is a geographical map of the Indian Ocean region off the east coast of Africa, spanning from approximately 60°E to 100°E longitude and 0°N to 20°N latitude. The map displays a grid of sampling locations. Each grid cell is shaded or colored to represent the number of species found at that location. A color scale legend is provided in the bottom right corner, ranging from light yellow (representing 0-1 species) through green, blue, and purple to dark red (representing higher species counts). The highest concentrations of species (dark red/purple) are clustered along the East African coastline, particularly between 10°N and 15°N. Other smaller clusters of moderate species richness (blue/green) are visible further offshore and at higher latitudes.

[illegible]

The diagram illustrates the experimental setup for electrospinning. A syringe containing a polymer solution is connected to a high-voltage power source (HV). The syringe is labeled with '10 ml' and '0.1 M'. The needle of the syringe is positioned to spray the solution, which forms fibers that are collected on a collector. The distance between the needle and the collector is labeled as 10 cm. The syringe is also labeled with '10 ml' and '0.1 M'.

Age Group	Don't know	No	Yes	Probably yes	Probably no
18-24	10%	10%	10%	10%	10%
25-34	10%	10%	10%	10%	10%
35-44	10%	10%	10%	10%	10%
45-54	10%	10%	10%	10%	10%
55-64	10%	10%	10%	10%	10%
65-74	10%	10%	10%	10%	10%
75+	10%	10%	10%	10%	10%

www.elsevier.com/locate/jmb

1. **Introduction**
 2. **Background**
 3. **Methodology**
 4. **Results**
 5. **Discussion**
 6. **Conclusion**
 7. **References**
 8. **Appendix**
 9. **Index**
 10. **Table of Contents**
 11. **Figure 1**
 12. **Figure 2**
 13. **Figure 3**
 14. **Figure 4**
 15. **Figure 5**
 16. **Figure 6**
 17. **Figure 7**
 18. **Figure 8**
 19. **Figure 9**
 20. **Figure 10**
 21. **Figure 11**
 22. **Figure 12**
 23. **Figure 13**
 24. **Figure 14**
 25. **Figure 15**
 26. **Figure 16**
 27. **Figure 17**
 28. **Figure 18**
 29. **Figure 19**
 30. **Figure 20**
 31. **Figure 21**
 32. **Figure 22**
 33. **Figure 23**
 34. **Figure 24**
 35. **Figure 25**
 36. **Figure 26**
 37. **Figure 27**
 38. **Figure 28**
 39. **Figure 29**
 40. **Figure 30**
 41. **Figure 31**
 42. **Figure 32**
 43. **Figure 33**
 44. **Figure 34**
 45. **Figure 35**
 46. **Figure 36**
 47. **Figure 37**
 48. **Figure 38**
 49. **Figure 39**
 50. **Figure 40**
 51. **Figure 41**
 52. **Figure 42**
 53. **Figure 43**
 54. **Figure 44**
 55. **Figure 45**
 56. **Figure 46**
 57. **Figure 47**
 58. **Figure 48**
 59. **Figure 49**
 60. **Figure 50**
 61. **Figure 51**
 62. **Figure 52**
 63. **Figure 53**
 64. **Figure 54**
 65. **Figure 55**
 66. **Figure 56**
 67. **Figure 57**
 68. **Figure 58**
 69. **Figure 59**
 70. **Figure 60**
 71. **Figure 61**
 72. **Figure 62**
 73. **Figure 63**
 74. **Figure 64**
 75. **Figure 65**
 76. **Figure 66**
 77. **Figure 67**
 78. **Figure 68**
 79. **Figure 69**
 80. **Figure 70**
 81. **Figure 71**
 82. **Figure 72**
 83. **Figure 73**
 84. **Figure 74**
 85. **Figure 75**
 86. **Figure 76**
 87. **Figure 77**
 88. **Figure 78**
 89. **Figure 79**
 90. **Figure 80**
 91. **Figure 81**
 92. **Figure 82**
 93. **Figure 83**
 94. **Figure 84**
 95. **Figure 85**
 96. **Figure 86**
 97. **Figure 87**
 98. **Figure 88**
 99. **Figure 89**
 100. **Figure 90**
 101. **Figure 91**
 102. **Figure 92**
 103. **Figure 93**
 104. **Figure 94**
 105. **Figure 95**
 106. **Figure 96**
 107. **Figure 97**
 108. **Figure 98**
 109. **Figure 99**
 110. **Figure 100**
 111. **Figure 101**
 112. **Figure 102**
 113. **Figure 103**
 114. **Figure 104**
 115. **Figure 105**
 116. **Figure 106**
 117. **Figure 107**
 118. **Figure 108**
 119. **Figure 109**
 120. **Figure 110**
 121. **Figure 111**
 122. **Figure 112**
 123. **Figure 113**
 124. **Figure 114**
 125. **Figure 115**
 126. **Figure 116**
 127. **Figure 117**
 128. **Figure 118**
 129. **Figure 119**
 130. **Figure 120**
 131. **Figure 121**
 132. **Figure 122**
 133. **Figure 123**
 134. **Figure 124**
 135. **Figure 125**
 136. **Figure 126**
 137. **Figure 127**
 138. **Figure 128**
 139. **Figure 129**
 140. **Figure 130**
 141. **Figure 131**
 142. **Figure 132**
 143. **Figure 133**
 144. **Figure 134**
 145. **Figure 135**
 146. **Figure 136**
 147. **Figure 137**
 148. **Figure 138**
 149. **Figure 139**
 150. **Figure 140**
 151. **Figure 141**
 152. **Figure 142**
 153. **Figure 143**
 154. **Figure 144**
 155. **Figure 145**
 156. **Figure 146**
 157. **Figure 147**
 158. **Figure 148**
 159. **Figure 149**
 160. **Figure 150**
 161. **Figure 151**
 162. **Figure 152**
 163. **Figure 153**
 164. **Figure 154**
 165. **Figure 155**
 166. **Figure 156**
 167. **Figure 157**
 168. **Figure 158**
 169. **Figure 159**
 170. **Figure 160**
 171. **Figure 161**
 172. **Figure 162**
 173. **Figure 163**
 174. **Figure 164**
 175. **Figure 165**
 176. **Figure 166**
 177. **Figure 167**
 178. **Figure 168**
 179. **Figure 169**
 180. **Figure 170**
 181. **Figure 171**
 182. **Figure 172**
 183. **Figure 173**
 184. **Figure 174**
 185. **Figure 175**
 186. **Figure 176**
 187. **Figure 177**
 188. **Figure 178**
 189. **Figure 179**
 190. **Figure 180**
 191. **Figure 181**
 192. **Figure 182**
 193. **Figure 183**
 194. **Figure 184**
 195. **Figure 185**
 196. **Figure 186**
 197. **Figure 187**
 198. **Figure 188**
 199. **Figure 189**
 200. **Figure 190**
 201. **Figure 191**
 202. **Figure 192**
 203. **Figure 193**
 204. **Figure 194**
 205. **Figure 195**
 206. **Figure 196**
 207. **Figure 197**
 208. **Figure 198**
 209. **Figure 199**
 210. **Figure 200**
 211. **Figure 201**
 212. **Figure 202**
 213. **Figure 203**
 214. **Figure 204**
 215. **Figure 205**
 216. **Figure 206**
 217. **Figure 207**
 218

[illegible]

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses in all conditions. The number of correct responses was significantly higher than the number of incorrect responses in all conditions. The number of correct responses was significantly higher than the number of incorrect responses in all conditions.

Figure 1 illustrates the experimental setup. A subject is seated at a table, viewing a video screen. A camera is positioned above the screen. A horizontal bar is placed on the table, with a vertical rod attached to it. The rod is connected to a motor that can move the rod horizontally. The subject is instructed to move the rod to a target position on the screen.

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 105–112

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The number of transformed cells was determined by the number of colonies obtained on the selective medium. The results are the mean of three independent experiments. Error bars represent standard deviation.

[illegible]

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses in all cases. The number of correct responses was significantly higher than the number of incorrect responses in all cases. The number of correct responses was significantly higher than the number of incorrect responses in all cases.

0

[illegible]




表 1 试验方案				
试验项目	试验内容	试验方法	试验设备	试验人员
1. 试验目的	验证试验方案的有效性	采用对比试验法	采用对比试验法	采用对比试验法
2. 试验原理	采用对比试验法	采用对比试验法	采用对比试验法	采用对比试验法
3. 试验步骤	采用对比试验法	采用对比试验法	采用对比试验法	采用对比试验法
4. 试验结果	采用对比试验法	采用对比试验法	采用对比试验法	采用对比试验法
5. 试验结论	采用对比试验法	采用对比试验法	采用对比试验法	采用对比试验法

表 2 试验结果				
试验项目	试验内容	试验方法	试验设备	试验人员
1. 试验目的	验证试验方案的有效性	采用对比试验法	采用对比试验法	采用对比试验法
2. 试验原理	采用对比试验法	采用对比试验法	采用对比试验法	采用对比试验法
3. 试验步骤	采用对比试验法	采用对比试验法	采用对比试验法	采用对比试验法
4. 试验结果	采用对比试验法	采用对比试验法	采用对比试验法	采用对比试验法
5. 试验结论	采用对比试验法	采用对比试验法	采用对比试验法	采用对比试验法

续表 2 检测方法、使用仪器及检出限一览表

项目类别	检测项目	检测方法	使用仪器	方法检出限
无机	水质铁、锰的测定	火焰原子吸收	原子吸收分光光度计	0.05mg/L
无机	水中光度法 (GB11911-1989)		A3AFG/JX-BY(a)-05	0.01mg/L
无机				0.09μg/L

四、检测人员和时间

表3 检测人员和时间

检测人员	检测时间	检测地点	检测项目
邵凤、钱燕、毛钰芬	2017年11月15日	江西省宜春市袁州区	镉、铁、锰、铜、锌、总大肠菌群

五、参考标准

表4 检测项目参考标准一览表

检测项目	参考标准
镉、铁、锰、铜、锌、总大肠菌群	GB 20177 附录
3号点	镉、铁、锰、铜、锌、总大肠菌群

备注：参考标准由委托方提供。

—本页完—

六、检测结果

表 5 地下水检测结果

项目类别	地下水	检测类型	口送检	委托抽/采样
采样时间	2023.09.19			
检测项目	检测点	检测结果	标准限值	备注
总硬度	1#	12.5	≤450	
氨氮	1#	0.05	≤0.5	
硝酸盐氮	1#	1.2	≤20	
亚硝酸盐氮	1#	0.02	≤0.1	
总磷	1#	0.01	≤0.05	
总氮	1#	0.5	≤1.0	
铜	1#	0.01	≤0.05	
锌	1#	0.1	≤1.0	
镉	1#	0.001	≤0.01	
铬(六价)	1#	0.01	≤0.05	
汞	1#	0.0001	≤0.001	
砷	1#	0.01	≤0.05	
铅	1#	0.01	≤0.05	
锰	1#	0.1	≤1.0	
铁	1#	1.0	≤1.0	
氟	1#	1.0	≤1.0	
氯化物	1#	100	≤250	
硫酸盐	1#	100	≤250	

注：1. 检测项目：GB 13660-2012 表 1 中 1~11 项。

2.

3.

4.

5. 标准限值：GB 13660-2012 表 1 中 1~11 项。

检测项目	检测点	检测结果	标准限值	备注
总硬度	2#	12.5	≤450	
氨氮	2#	0.05	≤0.5	
硝酸盐氮	2#	1.2	≤20	
亚硝酸盐氮	2#	0.02	≤0.1	
总磷	2#	0.01	≤0.05	
总氮	2#	0.5	≤1.0	
铜	2#	0.01	≤0.05	
锌	2#	0.1	≤1.0	
镉	2#	0.001	≤0.01	
铬(六价)	2#	0.01	≤0.05	
汞	2#	0.0001	≤0.001	
砷	2#	0.01	≤0.05	
铅	2#	0.01	≤0.05	
锰	2#	0.1	≤1.0	
铁	2#	1.0	≤1.0	
氟	2#	1.0	≤1.0	
氯化物	2#	100	≤250	
硫酸盐	2#	100	≤250	

续表 5. 地下水检测

样品性状	均为无色、无气味、无水面油膜及漂浮物。
------	---------------------

检 测 结 果

检测结论

检测：陈松
复核：李松

检测日期：2023年7月28日

检测单位：贝源检测

检测地址：广州市天河区

检测电话：020-88888888