

HNZYT-IV-BG/HJ-02/D/1



2026010109
有效期2028年3月20日

声 明

一、本报告未加盖“河南省政院检测研究院有限公司检验检测专用章”和骑缝章

二、本报告复制未加盖“河南省政院检测研究院有限公司检验检测专用章”和骑缝章

三、本报告未加盖“河南省政院检测研究院有限公司检验检测专用章”和骑缝章

四、

五、

六、

七、

八、

九、

十、

十一、

十二、

十三、

十四、

十五、

十六、

十七、

十八、

十九、

二十、

二十一、

二十二、

二十三、

二十四、

二十五、

二十六、

二十七、

二十八、

二十九、

三十、

三十一、

三十二、

三十三、

三十四、

三十五、

三十六、

三十七、

三十八、

三十九、

四十、

四十一、

四十二、

四十三、

四十四、

四十五、

四十六、

四十七、

四十八、

四十九、

五十、

五十一、

五十二、

五十三、

五十四、

五十五、

五十六、

五十七、

五十八、

五十九、

六十、

六十一、

六十二、

六十三、

六十四、

六十五、

六十六、

六十七、

六十八、

六十九、

七十、



检测报告

一、基本信息


检测类型	委托检测	采样日期	2023年3月8日
检测类别	废水	分析日期	2023年3月8日-16日
采样人员	王锐豪、江晓琴	分析人员	祁凤娟、史媛菲、杜忠毅
委托单编号	ZYTH03202306	检测报告编号	ZYTH03202306-03

Technical drawing of a mechanical assembly, likely a pump or motor component, showing a cross-section of the internal structure. The drawing is labeled with various parts and dimensions. Key components include a central shaft, a pump housing, and a motor housing. The drawing is oriented vertically, with the top of the assembly at the top. The drawing is labeled with various parts and dimensions. Key components include a central shaft, a pump housing, and a motor housing. The drawing is oriented vertically, with the top of the assembly at the top.

检 测 报 告



0.4					
7.73×10 ⁴	6.3	ND			
7.95×10 ⁴	6.7	ND			



检测 报告

附表: 烟气参数表

检测点位	检测项目	标态流量(m³/h)	烟尘含量(%)	温度(℃)	湿度(%)
焚烧炉废气排气筒	汞、砷、镉、铜、铬、镍、钴、钼、铊、铍、锑、锇、钨、钽、钒、钇、铈、镧、铈、镧、铈、镧	7.78×10 ⁴	6.5	140	27.9
		7.08×10 ⁴	6.8	142	28.9
		7.35×10 ⁴	6.4	142	29.7
		7.95×10 ⁴	6.7	142	28.8
	铜、锰、铅、镍、铜、铬、镍、钴、钼、铊、铍、锑、锇、钨、钽、钒、钇、铈、镧、铈、镧、铈、镧	7.68×10 ⁴	6.4	143	29.5
		7.73×10 ⁴	6.3	142	29.5
		7.99×10 ⁴	6.9	141	28.1
	铜、锰、铅、镍、铜、铬、镍、钴、钼、铊、铍、锑、锇、钨、钽、钒、钇、铈、镧、铈、镧、铈、镧	8.57×10 ⁴	6.8	142	28.7
		7.96×10 ⁴	6.9	142	29.1