

171412340674

项目类别： 固体废物、废气

检测类型： 委托检测

报告日期： 2023年02月27日



报 告 声 明

1、本公司保证检测的科学性、公正性和准确性，对检测数据负检测技术责任，并对数据质量提供及时的样品和技术资源保障。

2、本公司的检测程序严格按照国家环境保护标准、规范和公司的程序文件执行。

产地：江西省上饶市鄱阳县游城乡

联系人: 陈涛

联系电话: 19967309259

三、检测内容

1. 检测点位、样品编号、检测³¹项目及频次见表 1。

表 1 检测项目一览表

检测类别	检测点位	样品编号	检测项目	检测结果
水质	1#	20110101	总磷	0.01
	2#	20110102	总磷	0.02
	3#	20110103	总磷	0.03
	4#	20110104	总磷	0.04
	5#	20110105	总磷	0.05
	6#	20110106	总磷	0.06
	7#	20110107	总磷	0.07
	8#	20110108	总磷	0.08
	9#	20110109	总磷	0.09
	10#	20110110	总磷	0.10
水质	11#	20110111	总磷	0.11
	12#	20110112	总磷	0.12
	13#	20110113	总磷	0.13
	14#	20110114	总磷	0.14
	15#	20110115	总磷	0.15
	16#	20110116	总磷	0.16
	17#	20110117	总磷	0.17
	18#	20110118	总磷	0.18
	19#	20110119	总磷	0.19
	20#	20110120	总磷	0.20
水质	21#	20110121	总磷	0.21
	22#	20110122	总磷	0.22
	23#	20110123	总磷	0.23
	24#	20110124	总磷	0.24
	25#	20110125	总磷	0.25
	26#	20110126	总磷	0.26
	27#	20110127	总磷	0.27
	28#	20110128	总磷	0.28
	29#	20110129	总磷	0.29
	30#	20110130	总磷	0.30
水质	31#	20110131	总磷	0.31
	32#	20110201	总磷	0.32
	33#	20110202	总磷	0.33
	34#	20110203	总磷	0.34
	35#	20110204	总磷	0.35
	36#	20110205	总磷	0.36
	37#	20110206	总磷	0.37
	38#	20110207	总磷	0.38
	39#	20110208	总磷	0.39
	40#	20110209	总磷	0.40
水质	41#	20110210	总磷	0.41
	42#	20110211	总磷	0.42
	43#	20110212	总磷	0.43
	44#	20110213	总磷	0.44
	45#	20110214	总磷	0.45
	46#	20110215	总磷	0.46
	47#	20110216	总磷	0.47
	48#	20110217	总磷	0.48
	49#	20110218	总磷	0.49
	50#	20110219	总磷	0.50
水质	51#	20110220	总磷	0.51
	52#	20110221	总磷	0.52
	53#	20110222	总磷	0.53
	54#	20110223	总磷	0.54
	55#	20110224	总磷	0.55
	56#	20110225	总磷	0.56
	57#	20110226	总磷	0.57
	58#	20110227	总磷	0.58
	59#	20110228	总磷	0.59
	60#	20110229	总磷	0.60
水质	61#	20110301	总磷	0.61
	62#	20110302	总磷	0.62
	63#	20110303	总磷	0.63
	64#	20110304	总磷	0.64
	65#	20110305	总磷	0.65
	66#	20110306	总磷	0.66
	67#	20110307	总磷	0.67
	68#	20110308	总磷	0.68
	69#	20110309	总磷	0.69
	70#	20110310	总磷	0.70
水质	71#	20110311	总磷	0.71
	72#	20110312	总磷	0.72
	73#	20110313	总磷	0.73
	74#	20110314	总磷	0.74
	75#	20110315	总磷	0.75
	76#	20110316	总磷	0.76
	77#	20110317	总磷	0.77
	78#	20110318	总磷	0.78
	79#	20110319	总磷	0.79
	80#	20110320	总磷	0.80
水质	81#	20110321	总磷	0.81
	82#	20110322	总磷	0.82
	83#	20110323	总磷	0.83
	84#	20110324	总磷	0.84
	85#	20110325	总磷	0.85
	86#	20110326	总磷	0.86
	87#	20110327	总磷	0.87
	88#	20110328	总磷	0.88
	89#	20110329	总磷	0.89
	90#	20110330	总磷	0.90
水质	91#	20110331	总磷	0.91
	92#	20110401	总磷	0.92
	93#	20110402	总磷	0.93
	94#	20110403	总磷	0.94
	95#	20110404	总磷	0.95
	96#	20110405	总磷	0.96
	97#	20110406	总磷	0.97
	98#	20110407	总磷	0.98
	99#	20110408	总磷	0.99
	100#	20110409	总磷	1.00
水质	101#	20110410	总磷	1.01
	102#	20110411	总磷	1.02
	103#	20110412	总磷	1.03
	104#	20110413	总磷	1.04
	105#	20110414	总磷	1.05
	106#	20110415	总磷	1.06
	107#	20110416	总磷	1.07
	108#	20110417	总磷	1.08
	109#	20110418	总磷	1.09
	110#	20110419	总磷	1.10
水质	111#	20110420	总磷	1.11
	112#	20110421	总磷	1.12
	113#	20110422	总磷	1.13
	114#	20110423	总磷	1.14
	115#	20110424	总磷	1.15
	116#	20110425	总磷	1.16
	117#	20110426	总磷	1.17
	118#	20110427	总磷	1.18
	119#	20110428	总磷	1.19
	120#	20110429	总磷	1.20
水质	121#	20110430	总磷	1.21
	122#	20110501	总磷	1.22
	123#	20110502	总磷	1.23
	124#	20110503	总磷	1.24
	125#	20110504	总磷	1.25
	126#	20110505	总磷	1.26
	127#	20110506	总磷	1.27
	128#	20110507	总磷	1.28
	129#	20110508	总磷	1.29
	130#	20110509	总磷	1.30
水质	131#	20110510	总磷	1.31
	132#	20110511	总磷	1.32
	133#	20110512	总磷	1.33
	134#	20110513	总磷	1.34
	135#	20110514	总磷	1.35
	136#	20110515	总磷	1.36
	137#	20110516	总磷	1.37
	138#	20110517	总磷	1.38
	139#	20110518	总磷	1.39
	140#	20110519	总磷	1.40
水质	141#	20110520	总磷	1.41
	142#	20110521	总磷	1.42
	143#	20110522	总磷	1.43
	144#	20110523	总磷	1.44
	145#	20110524	总磷	1.45
	146#	20110525	总磷	1.46
	147#	20110526	总磷	1.47
	148#	20110527	总磷	1.48
	149#	20110528	总磷	1.49
	150#	20110529	总磷	1.50
水质	151#	20110530	总磷	1.51
	152#	20110531	总磷	1.52
	153#	20110601	总磷	1.53
	154#	20110602	总磷	1.54
	155#	20110603	总磷	1.55
	156#	20110604	总磷	1.56
	157#	20110605	总磷	1.57
	158#	20110606	总磷	1.58
	159#	20110607	总磷	1.59
	160#	20110608	总磷	1.60
水质	161#	20110609	总磷	1.61
	162#	20110610	总磷	1.62
	163#	20110611	总磷	1.63
	164#	20110612	总磷	1.64
	165#	20110613	总磷	1.65
	166#	20110614	总磷	1.66
	167#	20110615	总磷	1.67
	168#	20110616	总磷	1.68
	169#	20110617	总磷	1.69
	170#	20110618	总磷	1.70
水质	171#	20110619	总磷	1.71
	172#	20110620	总磷	1.72
	173#	20110621	总磷	1.73
	174#	20110622	总磷	1.74
	175#	20110623	总磷	1.75
	176#	20110624	总磷	1.76
	177#	20110625	总磷	1.77
	178#	20110626	总磷	1.78
	179#	20110627	总磷	1.79
	180#	20110628	总磷	1.80
水质	181#	20110629	总磷	1.81
	182#	20110630	总磷	1.82
	183#	20110701	总磷	1.83
	184#	20110702	总磷	1.84
	185#	20110703	总磷	1.85
	186#	20110704	总磷	1.86
	187#	20110705	总磷	1.87
	188#	20110706	总磷	1.88
	189#	20110707	总磷	1.89
	190#	20110708	总磷	1.90
水质	191#	20110709	总磷	1.91
	192#	20110710	总磷	1.92
	193#	20110711	总磷	1.93
	194#	20110712	总磷	1.94
	195#	20110713	总磷	1.95
	196#	20110714	总磷	1.96
	197#	20110715	总磷	1.97
	198#	20110716	总磷	1.98
	199#	20110717	总磷	1.99
	200#	20110718	总磷	2.00
水质	201#	20110719	总磷	2.01
	202#	20110720	总磷	2.02
	203#	20110721	总磷	2.03
	204#	20110722	总磷	2.04
	205#	20110723	总磷	2.05
	206#	20110724	总磷	2.06
	207#	20110725	总磷	2.07
	208#	20110726	总磷	2.08
	209#	20110727	总磷	2.09
	210#	20110728	总磷	2.10
水质	211#	20110729	总磷	2.11
	212#	20110730	总磷	2.12
	213#	20110731	总磷	2.13
	214#	20110801	总磷	2.14
	215#	20110802	总磷	2.15
	216#	20110803	总磷	2.16
	217#	20110804	总磷	2.17
	218#	20110805	总磷	2.18
	219#	20110806	总磷	2.19
	220#	20110807	总磷	2.20
水质	221#	20110808	总磷	2.21
	222#	20110809	总磷	2.22
	223#	20110810	总磷	2.23
	224#	20110811	总磷	2.24
	225#	20110812	总磷	2.25
	226#	20110813	总磷	2.26
	227#	20110814	总磷	2.27
	228#	20110815	总磷	2.28
	229#	20110816	总磷	2.29
	230#	20110817	总磷	2.30
水质	231#	20110818	总磷	2.31
	232#	20110819	总磷	2.32
	233#	20110820	总磷	2.33
	234#	20110821	总磷	2.34
	235#	20110822	总磷	2.35
	236#	20110823	总磷	2.36
	237#	20110824	总磷	2.37
	238#	20110825	总磷	2.38
	239#	20110826	总磷	2.39
	240#	20110827	总磷	2.40
水质	241#	20110828	总磷	2.41
	242#	20110829	总磷	2.42
	243#	20110830	总磷	2.43
	244#	20110831	总磷	2.44
	245#	20110901	总磷	2.45
	246#	20110902	总磷	2.46
	247#	20110903	总磷	2.47
	248#	20110904	总磷	2.48
	249#	20110905	总磷	2.49
	250#	20110906	总磷	2.50
水质	251#	20110907	总磷	2.51
	252#	20110908	总磷	2.52
	253#	20110909	总磷	2.53
	254#	20110910	总磷	2.54
	255#	20110911	总磷	2.55
	256#	20110912	总磷	2.56
	257#	20110913	总磷	2.57
	258#	20110914	总磷	2.58
	259#	20110915	总磷	2.59
	260#	20110916	总磷	2.60
水质	261#	20110917	总磷	2.61
	262#	20110918	总磷	2.62
	263#	20110919	总磷	2.63
	264#	20110920	总磷	2.64
	265#	20110921	总磷	2.65
	266#	20110922	总磷	2.66
	267#	20110923	总磷	2.67
	268#	20110924	总磷	2.68
	269#	20110925	总磷	2.69
	270#	20110926	总磷	2.70
水质	271#	20110927	总磷	2.71
	272#	20110928	总磷	2.72
	273#	20110929	总磷	2.73
	274#	20110930	总磷	2.74
	275#	20111001	总磷	2.75
	276#	20111002	总磷	2.76
	277#	20111003	总磷	2.77
	278#	20111004	总磷	2.78
	279#	20111005	总磷	2.79
	280#	20111006	总磷	2.80
水质	281#	20111007	总磷	2.81
	282#	20111008	总磷	2.82
	283#	20111009	总磷	2.83
	284#	20111010	总磷	2.84
	285#	20111011	总磷	2.85
	286#	20111012	总磷	2.86
	287#	20111013	总磷	2.87
	288#	20111014	总磷	2.88
	289#	20111015	总磷	2.89
	290#	20111016		

长 型 五 方 塔 位 位 数 出 限 一 览 表

[illegible]

固体废物	砷	的测定 微波消解/原子荧光法 (HJ 700.2-2014)	AFS-8530/ YAPYfa-24	0.10µg/L
固体废物	铜			2.5µg/L
	锌			6.4µg/L
	镉			1.2µg/L
	镍			3.8µg/L
固体废物	总铬	固体废物 金属元素的测定 电感耦合等离子体发射光谱法 (HJ 766-2015)	Nexlon1000/ IX-RS	2.0µg/L
	铍			0.7µg/L

生态环境部

生态环境部

生态环境部


生态环境部

生态环境部

生态环境部

生态环境部

生态环境部



六、检测结果

表5 固体废物检测数据

序号		检测项目		检测结果		单位		标准限值	
1		挥发性有机物		1.2		mg/L		10	
2		半挥发性有机物		0.5		mg/L		5	
3		重金属		0.1		mg/L		1	
4		总有机碳		15		mg/L		100	
5		总氮		2		mg/L		10	
6		总磷		0.1		mg/L		1	
7		氨氮		0.5		mg/L		5	
8		硝酸盐氮		10		mg/L		100	
9		亚硝酸盐氮		1		mg/L		10	
10		溶解性总固体		100		mg/L		1000	
11		电导率		1000		μS/cm		10000	
12		pH值		7.5		—		6.5-8.5	
13		浊度		10		NTU		100	
14		色度		10		PCU		100	
15		总硬度		100		mg/L		1000	
16		氯离子		100		mg/L		1000	
17		硫酸根		100		mg/L		1000	
18		氟离子		10		mg/L		100	
19		铁		1		mg/L		10	
20		锰		0.1		mg/L		1	
21		铜		0.1		mg/L		1	
22		锌		0.1		mg/L		1	
23		镍		0.1		mg/L		1	
24		铬		0.1		mg/L		1	
25		钒		0.1		mg/L		1	
26		砷		0.1		mg/L		1	
27		汞		0.1		mg/L		1	
28		镉		0.1		mg/L		1	
29		铅		0.1		mg/L		1	
30		钴		0.1		mg/L		1	
31		钼		0.1		mg/L		1	
32		铀		0.1		mg/L		1	
33		钨		0.1		mg/L		1	
34		铋		0.1		mg/L		1	
35		锑		0.1		mg/L		1	
36		碲		0.1		mg/L		1	
37		硒		0.1		mg/L		1	
38		钽		0.1		mg/L		1	
39		铌		0.1		mg/L		1	
40		钽		0.1		mg/L		1	
41		铌		0.1		mg/L		1	
42		钽		0.1		mg/L		1	
43		铌		0.1		mg/L		1	
44		钽		0.1		mg/L		1	
45		铌		0.1		mg/L		1	
46		钽		0.1		mg/L		1	
47		铌		0.1		mg/L		1	
48		钽		0.1		mg/L		1	
49		铌		0.1		mg/L		1	
50		钽		0.1		mg/L		1	
51		铌		0.1		mg/L		1	
52		钽		0.1		mg/L		1	
53		铌		0.1		mg/L		1	
54		钽		0.1		mg/L		1	
55		铌		0.1		mg/L		1	
56		钽		0.1		mg/L		1	
57		铌		0.1		mg/L		1	
58		钽		0.1		mg/L		1	
59		铌		0.1		mg/L		1	
60		钽		0.1		mg/L		1	
61		铌		0.1		mg/L		1	
62		钽		0.1		mg/L		1	
63		铌		0.1		mg/L		1	
64		钽		0.1		mg/L		1	
65		铌		0.1		mg/L		1	
66		钽		0.1		mg/L		1	
67		铌		0.1		mg/L		1	
68		钽		0.1		mg/L		1	
69		铌		0.1		mg/L		1	
70		钽		0.1		mg/L		1	
71		铌		0.1		mg/L		1	
72		钽		0.1		mg/L		1	
73		铌		0.1		mg/L		1	
74		钽		0.1		mg/L		1	
75		铌		0.1		mg/L		1	
76		钽		0.1		mg/L		1	
77		铌		0.1		mg/L		1	
78		钽		0.1		mg/L		1	
79		铌		0.1		mg/L		1	
80		钽		0.1		mg/L		1	
81		铌		0.1		mg/L		1	
82		钽		0.1		mg/L		1	
83		铌		0.1		mg/L		1	
84		钽		0.1		mg/L		1	
85		铌		0.1		mg/L		1	
86		钽		0.1		mg/L		1	
87		铌		0.1		mg/L		1	
88		钽		0.1		mg/L		1	
89		铌		0.1		mg/L		1	
90		钽		0.1		mg/L		1	
91		铌		0.1		mg/L		1	
92		钽		0.1		mg/L		1	
93		铌		0.1		mg/L		1	
94		钽		0.1		mg/L		1	

项目类别

有组织废气

检测类别

□ 送检

□ 委托检测

烟气参数

汞

141.8

21.40

11.8

7.5