

HNZY-IV BC 411 02/E/0

221301060139
有效期2028年3月20日

检 测 报 告

TEST REPORT

委托单位 济源市王和新能源电力有限公司


项目名称 济源市王和新能源电力有限公司沁阳县生活

垃圾焚烧炉渣在热电厂炉渣堆放区堆放稳定性检测

检测地址 沁阳县热电厂炉渣堆放区

检测时间 2022

河南安泰检测有限公司



电子邮箱: hantest@126.com

联系电话: 4001899489

官网网址: www.hantest.com

地址: 郑州市郑东新区CBD商务外环11号5楼501室(河南自贸试验区郑州片区(郑东)正商国际大厦) 邮编: 450008

- 4、所使用的检测场所和环境均符合相关规范要求；
- 5、所使用的检测试剂、药品均经检测合格，符合相关标准要求；
- 6、所实施的检测活动均按照标准规范实施质量控制措施。

四、检测分析方法

检测类别	检测项目	检测标准（方法）名称及编号（含年号）	仪器设备名称、型号及编号	检出限
		固定污染源废气 汞的测定 冷	微机测汞仪	

铊

0.008μg/m³

Figure 1: Schematic representation of the experimental design. The diagram shows a sequence of events: a subject is presented with a stimulus (a bar chart with 10 bars of varying heights), then a response is recorded (a bar chart with 10 bars of varying heights), and finally a feedback is provided (a bar chart with 10 bars of varying heights). The feedback is labeled 'Feedback' and 'Correct'.

Figure 1 consists of four panels (a, b, c, d) illustrating the experimental design. Panel (a) shows a timeline from baseline to post-test, with a 10-minute intervention period. Panel (b) shows a timeline from baseline to post-test, with a 10-minute intervention period. Panel (c) shows a timeline from baseline to post-test, with a 10-minute intervention period. Panel (d) shows a timeline from baseline to post-test, with a 10-minute intervention period.

油桐子油	油桐子油	有证编号	74514556
油桐子油	油	Y224134801(01-05)-01	合格
油桐子油	油、起、油、油、油、油、油、油、油、油	Y224134801(01-05)-02	合格

[illegible]

