

HNZYT-001-01-001-001



220106010601001
有效期至2029年3月20日

检测报告

TEST REPORT

委托编号: 2022010601001

检测类型: 委托检测

委托单位: 湖南民生和新能源技术有限公司

委托地址: 湖南省长沙市岳麓区岳麓大道与岳麓大道交汇处


检测地址: 湖南省长沙市岳麓区岳麓大道与岳麓大道交汇处

检测地址: 湖南省长沙市岳麓区岳麓大道与岳麓大道交汇处

检测地址: 湖南省长沙市岳麓区岳麓大道与岳麓大道交汇处



湖南民生和新能源技术有限公司



公司地址: 湖南省长沙市岳麓区岳麓大道与岳麓大道交汇处

联系电话: 0731-88888888

公司网址: www.hnshh.com

地址: 湖南省长沙市岳麓区岳麓大道与岳麓大道交汇处(井头湾地铁站) 联系人: 王经理 电话: 13808888888 邮箱: 13808888888@hnshh.com

吉 明

、 平 聚 自 来 加 血 有 限 公 司 院 内 有 限 公 司 和 德 和 德 之 用 皇 和 哈 德 豆 五 制

Figure 1. Schematic representation of the experimental design. The subjects were divided into two groups: the control group (CG) and the experimental group (EG). The CG was subjected to a standard training protocol, while the EG was subjected to a modified training protocol. The EG was divided into two subgroups: the EG1 subgroup and the EG2 subgroup. The EG1 subgroup was subjected to a modified training protocol, while the EG2 subgroup was subjected to a standard training protocol. The subjects were subjected to a series of tests: a pre-test, a training test, and a post-test. The pre-test was conducted before the training, the training test was conducted during the training, and the post-test was conducted after the training. The results of the tests were compared between the CG and the EG, and between the EG1 and the EG2 subgroups.

效。未经本公司书面同意，不得将本管理制度报告

四、本报昔内容经涂改、增删无效。

丁巳年十月廿四日

源负责。

[返回首页](#)
[设为首页](#)
[加入收藏](#)
[联系我们](#)
[网站地图](#)
[关于我们](#)
[公司简介](#)
[企业文化](#)
[产品中心](#)
[新闻中心](#)
[联系我们](#)

Category	18-24	25-34	35-44	45-54	55-64	65+
Total	15	25	20	20	15	5
Male	10	20	15	15	10	5
Female	20	30	25	25	20	10
Male	10	20	15	15	10	5
Female	20	30	25	25	20	10

2015年5月15日 星期五

[illegible][illegible]

不 刊 形 告

Figure 1. The effect of the concentration of the *Agrobacterium* strain on the transformation efficiency of *Agrobacterium* strain 1024. The *Agrobacterium* strain 1024 was cultured in the YEA medium for 24 h and then the cell concentration was adjusted to 10⁸ cells/ml. The cell concentration was then adjusted to 10⁶, 10⁷, 10⁸, 10⁹, and 10¹⁰ cells/ml. The cell suspension was then mixed with the plant protoplast suspension and the transformation efficiency was determined. The results are shown in the bar chart. The error bars represent the standard deviation.

[illegible]

Figure 1 consists of two parts. The top part is a 3D scatter plot showing genetic data points colored by population. The bottom part is a 3D bar chart showing the same data. The x-axis is labeled 'Population' and the y-axis is labeled 'Genetic Data'. The z-axis is labeled 'Genetic Data'.

- 1、郵政特准掛號方法均須行有效。
- 2、所使用商標與位置均須符合規定之規定。若不符者，將不予註冊。
- 3、商標及商標圖人，50%應為以商標主體正體圖上。

[illegible]

检测报告

检测点位		检测项目	检测单位	检测结果
		单位/标准		
井口		WZ24178401 (01-04) 01	完好	
下井口	臭气浓度	WZ24178402 (01-04) 01	完好	
	氨	WZ24178403 (01-04) 02	完好	
	硫化氢	WZ24178404 (01-04) 03	完好	
	一氧化碳	WZ24178405 (01-04) 04	完好	
	甲烷总浓度	WZ24178406 (01-04) 05	完好	
井口	臭气浓度	WZ24178407 (01-04) 06	完好	
	氨	WZ24178408 (01-04) 07	完好	
	硫化氢	WZ24178409 (01-04) 08	完好	
	一氧化碳	WZ24178410 (01-04) 09	完好	
	甲烷总浓度	WZ24178411 (01-04) 10	完好	
井口	臭气浓度	WZ24178412 (01-04) 11	完好	
	氨	WZ24178413 (01-04) 12	完好	
	硫化氢	WZ24178414 (01-04) 13	完好	
	一氧化碳	WZ24178415 (01-04) 14	完好	
	甲烷总浓度	WZ24178416 (01-04) 15	完好	
井口		WZ24178417 (01-04) 16	完好	
井口	臭气浓度	WZ24178418 (01-04) 17	完好	
	氨	WZ24178419 (01-04) 18	完好	
	硫化氢	WZ24178420 (01-04) 19	完好	
井口	臭气浓度	WZ24178421 (01-04) 20	完好	
	氨	WZ24178422 (01-04) 21	完好	
	硫化氢	WZ24178423 (01-04) 22	完好	
井口	臭气浓度	WZ24178424 (01-04) 23	完好	
	氨	WZ24178425 (01-04) 24	完好	
	硫化氢	WZ24178426 (01-04) 25	完好	
井口	臭气浓度	WZ24178427 (01-04) 26	完好	
	氨	WZ24178428 (01-04) 27	完好	
	硫化氢	WZ24178429 (01-04) 28	完好	
井口	臭气浓度	WZ24178430 (01-04) 29	完好	
	氨	WZ24178431 (01-04) 30	完好	
	硫化氢	WZ24178432 (01-04) 31	完好	
井口	臭气浓度	WZ24178433 (01-04) 32	完好	
	氨	WZ24178434 (01-04) 33	完好	
	硫化氢	WZ24178435 (01-04) 34	完好	
井口	臭气浓度	WZ24178436 (01-04) 35	完好	
	氨	WZ24178437 (01-04) 36	完好	
	硫化氢	WZ24178438 (01-04) 37	完好	
井口	臭气浓度	WZ24178439 (01-04) 38	完好	
	氨	WZ24178440 (01-04) 39	完好	
	硫化氢	WZ24178441 (01-04) 40	完好	
井口	臭气浓度	WZ24178442 (01-04) 41	完好	
	氨	WZ24178443 (01-04) 42	完好	
	硫化氢	WZ24178444 (01-04) 43	完好	
井口	臭气浓度	WZ24178445 (01-04) 44	完好	
	氨	WZ24178446 (01-04) 45	完好	
	硫化氢	WZ24178447 (01-04) 46	完好	
井口	臭气浓度	WZ24178448 (01-04) 47	完好	
	氨	WZ24178449 (01-04) 48	完好	
	硫化氢	WZ24178450 (01-04) 49	完好	
井口	臭气浓度	WZ24178451 (01-04) 50	完好	
	氨	WZ24178452 (01-04) 51	完好	
	硫化氢	WZ24178453 (01-04) 52	完好	
井口	臭气浓度	WZ24178454 (01-04) 53	完好	
	氨	WZ24178455 (01-04) 54	完好	
	硫化氢	WZ24178456 (01-04) 55	完好	
井口	臭气浓度	WZ24178457 (01-04) 56	完好	
	氨	WZ24178458 (01-04) 57	完好	
	硫化氢	WZ24178459 (01-04) 58	完好	
井口	臭气浓度	WZ24178460 (01-04) 59	完好	
	氨	WZ24178461 (01-04) 60	完好	
	硫化氢	WZ24178462 (01-04) 61	完好	
井口	臭气浓度	WZ24178463 (01-04) 62	完好	
	氨	WZ24178464 (01-04) 63	完好	
	硫化氢	WZ24178465 (01-04) 64	完好	
井口	臭气浓度	WZ24178466 (01-04) 65	完好	
	氨	WZ24178467 (01-04) 66	完好	
	硫化氢	WZ24178468 (01-04) 67	完好	
井口	臭气浓度	WZ24178469 (01-04) 68	完好	
	氨	WZ24178470 (01-04) 69	完好	
	硫化氢	WZ24178471 (01-04) 70	完好	
井口	臭气浓度	WZ24178472 (01-04) 71	完好	
	氨	WZ24178473 (01-04) 72	完好	
	硫化氢	WZ24178474 (01-04) 73	完好	
井口	臭气浓度	WZ24178475 (01-04) 74	完好	
	氨	WZ24178476 (01-04) 75	完好	
	硫化氢	WZ24178477 (01-04) 76	完好	
井口	臭气浓度	WZ24178478 (01-04) 77	完好	
	氨	WZ24178479 (01-04) 78	完好	
	硫化氢	WZ24178480 (01-04) 79	完好	
井口	臭气浓度	WZ24178481 (01-04) 80	完好	
	氨	WZ24178482 (01-04) 81	完好	
	硫化氢	WZ24178483 (01-04) 82	完好	
井口	臭气浓度	WZ24178484 (01-04) 83	完好	
	氨	WZ24178485 (01-04) 84	完好	
	硫化氢	WZ24178486 (01-04) 85	完好	
井口	臭气浓度	WZ24178487 (01-04) 86	完好	
	氨	WZ24178488 (01-04) 87	完好	
	硫化氢	WZ24178489 (01-04) 88	完好	
井口	臭气浓度	WZ24178490 (01-04) 89	完好	
	氨	WZ24178491 (01-04) 90	完好	
	硫化氢	WZ24178492 (01-04) 91	完好	
井口	臭气浓度	WZ24178493 (01-04) 92	完好	
	氨	WZ24178494 (01-04) 93	完好	
	硫化氢	WZ24178495 (01-04) 94	完好	
井口	臭气浓度	WZ24178496 (01-04) 95	完好	
	氨	WZ24178497 (01-04) 96	完好	
	硫化氢	WZ24178498 (01-04) 97	完好	
井口	臭气浓度	WZ24178499 (01-04) 98	完好	
	氨	WZ24178500 (01-04) 99	完好	
	硫化氢	WZ24178501 (01-04) 100	完好	

PM ₁₀					
检测点名称	检测时间	检测时段	检测浓度	超标倍数	备注
香化制		08:00-09:00	0.006	0.00	mg/m ³
		10:00-11:00	0.004		mg/m ³
		12:00-13:00	0.004		mg/m ³
		14:00-15:00	0.006		mg/m ³
		16:00-17:00	0.08		mg/m ³
13号车间	16:00-17:00	08:00	<10	无超标	mg/m ³
		10:00	<10		mg/m ³
		12:00	<10		mg/m ³
		14:00	<10		mg/m ³
非甲类总包		08:00-09:00	0.306	1.0	mg/m ³
		10:00-11:00	0.200		mg/m ³
		12:00-13:00	0.180		mg/m ³
		14:00-15:00	0.204		mg/m ³
非甲类总包		08:00-09:00	0.77	2.0	mg/m ³
		10:00-11:00	0.76		mg/m ³
		12:00-13:00	0.78		mg/m ³
		14:00-15:00	0.71		mg/m ³
06:00-07:00	0.004		mg/m ³		
07:00-08:00	0.003		mg/m ³		
08:00-09:00	0.004	0.00	mg/m ³		
09:00-10:00	0.003		mg/m ³		
10:00-11:00	0.08		mg/m ³		
11:00-12:00	0.09		mg/m ³		
12:00-13:00	0.11		mg/m ³		
13:00-14:00	0.07		mg/m ³		
14:00-15:00	<10		mg/m ³		
15:00-16:00	<10		mg/m ³		
16:00-17:00	<10		mg/m ³		
17:00-18:00	<10		mg/m ³		
18:00-19:00	<10		mg/m ³		
19:00-20:00	<10		mg/m ³		
20:00-21:00	<10		mg/m ³		
21:00-22:00	<10		mg/m ³		
22:00-23:00	<10		mg/m ³		
23:00-24:00	<10		mg/m ³		



下风向 4#		12:00-13:00	0.208		mg/m^3
		14:00-15:00	0.107		mg/m^3
		08:00-09:00	0.73		mg/m^3
东厂路边 2#	10:00-11:00	0.73		mg/m^3	
	12:00-13:00	1.09		mg/m^3	
	14:00-15:00	1.03		mg/m^3	

[illegible][illegible][illegible]